




























**Safety & Personal Protective Equipments List ( 2011-2012)**

<b>SL. No</b>	<b>Description</b>	<b>Applications</b>	<b>Product Images</b>	<b>Meets The Standards</b>
1	Safety Helmet ( PP inner fittings) Brand : <b>NEO</b>	INDUSTRIAL SAFETY HELMET FOR USE IN GENERAL PURPOSE IN CONSTRUCTION, STEEL, RAIL & MINING INDUSTRIES.		IS :2925
2	Safety Helmet ( Nape fittings) Brand : <b>NEO</b>	INDUSTRIAL SAFETY HELMET HEAVY DUTY FOR USE IN CONSTRUCTION, STEEL, RAIL & MINING INDUSTRIES. DURABLE FOR BASIC ROUGH & TOUGH USE. <b>COMPLETE WITH NAPE STRAP SUSPENSION.</b>		IS :2925
3	Safety Helmet ( Ratchet fittings) Brand : <b>NEO</b>	INDUSTRIAL SAFETY HELMET HEAVY DUTY FOR USE IN CONSTRUCTION,STEEL,RAIL & MINING INDUSTRIES. USE FULL FOR EXECUTIVES AND HIGH OFFICIAL. COMFORTABLE FOR LONG TIME WORK.. <b>Complete with Ratchet type suspensions.</b>		IS :2925
4	Full Body Harness Class- A Brand : <b>NEO</b>	GENERAL PURPOSE FULL BODY HARNESS FOR BASIC USE BY THE CONSTRUCTION & MINING. HAVING <b>1 dosal D ring only.</b>		IS :3521 & EN 361
5	Full Body Harness Class- A (Superior)	AS ABOVE SUPERIOR MODEL		IS :3521 & EN 361
6	Full Body Harness Class- D Brand : <b>NEO</b>	FULL BODY HARNESS FOR USE IN BASIC NEED AS WELL AS FOR ENTRY IN CONFINED SPACE ENTRY.(LIKE UNDERGROUND PITS) SYSTEM HAVING <b>1 dosal &amp; 2 D ring</b> on both sides of the solder straps.		IS :3521 & EN 361
7	Full Body Harness Class- D (Superior)	AS ABOVE SUPERIOR MODEL		IS :3521 & EN 361






8	<b>Full Body Harness Class- P</b>  Brand : <b>NEO</b>	FULL BODY HARNESS TO BE USED FOR ELECTRICAL, ROOFING, LANDING GANGWAYS MAINTENANCE & WORK POSITIONING BY THE ELECTRICAL LINE MAN BY THE CONSTRUCTION & MINING. <b>Having 1 dosal D ring and two additional D ring on either side of the waists.</b>		IS :3521 & EN 358
9	<b>Full Body Harness Class- P(Superior)</b>	AS ABOVE SUPERIOR MODEL		IS :3521 & EN 361
10	<b>Full Body Harness Class- L</b>  Brand : <b>NEO</b>	<b>General purpose full body harness for basic use by the Scaffolding, Maintenance, Tower climbing... Having 1 dosal D ring &amp; 1 chest attached D ring for Ladder climbing.</b>		IS :3521 & EN 361
11	<b>Full Body Harness Class- L(Superior)</b>	AS ABOVE SUPERIOR MODEL		IS :3521 & EN 361
12	<b>Full Body Harness with Back rest.</b>  Brand : <b>NEO</b>	FULL BODY HARNESS FOR USE IN BASIC NEED AS WELL AS FOR WAREHOUSING, SCAFFOLDING, MAINTENANCE, CONSTRUCTION ... SYSTEM HAVING 1 DOSAL & 2 D RING ON BOTH SIDES OF THE SOLDER STRAPS. <b>FITTED WITH COMFORTABLE SOFT BACK REST , SHOULDER PADS.</b>		IS :3521 & EN 361
13	<b>Safety Net</b>  Brand : <b>NEO</b>	USE TO PROTECT AND CATCH FALL OF A PERSON WORKING AT HEIGHT AND ALSO SAFEGUARD THE PEOPLE WORKING BELLOW FROM FALLING OBJECTS SUCH AS TOOLS DEBRIS, ETCMADE OF ISI MARK POLYPROPELENE(PP) ROPE STD. SIZE -10' X 5' MESH SIZE- 75 MM MESH ROPE-4 MM DIA, BORDER ROPE- 12 MM DIA TIE ROPE-12 MM DIA.		Rope- IS: 5175 & EN:1263.1
14	<b>Safety Net</b>  Brand : <b>NEO</b>	AS ABOVE SUPERIOR MODEL, MADE OF TWINE ROPE MESH SIZE-25 MM		Rope- IS: 5175 & EN:1263.1
15	<b>Fall Arrestor</b>  Brand : <b>NEO</b>	CONVENIENTLY ATTACH TO A FLEXIBLE VERTICAL ANCHORAGE LINE SO AS TO ACCOMPANY THE USER (CONNECTED TO A HARNESS) WITHOUT REQUIRING ANY MANUAL ADJUSTMENT DURING UPWARD AND DOWNWARD MOVEMENT.MADE OF STEEL, HHAVING GARVITY LOCKING MECHANISM COPATIBLE WITH 14/ 16 MM FLEXIBLE ROPE LIFE LINE. AS PER EN 353-2		EN: 353-2
16	<b>Fall Arrestor(Supirior)</b>	AS ABOVE SUPERIOR MODEL		EN: 353-2









17	<b>Shock absorbing Lanyard(1.8 mtr) with Steel Carbineer of 20 mm opening.</b>  <b>Brand : NEO</b>	MADE OF POLYAMIDE WEBBING - 44 MM WIDTH ALONG WITH A ENERGY ABSORBER WHICH REDUCE IMPACT FORCE TO LESS THAN 6kN IN THE EVET OF A FALL. ( ESSENTIAL DEVICE FOR A COMPLETE FALL PORTECTION SYSTEM		<b>EN: 355</b>
18	<b>Barricade Tape 3" Width ( STOP/ DANGER ) Marking</b>	 <p>SAFETY RIBBON (CAUTION TAPE), STANDARD SUPPLY WITH RED AND WHITE COLOUR STRIPED, MADE OF LDPE , TUBULAR FORM HAVING 4" WIDTH ."DANGER" WRITTEN ON THE WHITE PORTION IN RED COLOUR. CAN BE IMPRINTED WITH CUSTOMER'S LOGO.</p>		
19	<b>Face Shield Acrylic Visor Clear.</b>  <b>Brand : NEO</b>	ALUMINUM CONSTRUCTION WITH NYLON GROOVED FRAME EASY TO ATTACH TO ALL HELMETS. POSITIVE STOP HINGE AUTOMATICALLY HOLD THE VISOR IN RAISED POSITION. AVAILABLE IN CLEAR /BLUE /GREEN -ACRYLIC/POLLY CARBONATE VISOR.		
20	<b>Face Shield Acrylic Visor Blue.</b>  <b>Brand : NEO</b>	Do		
21	<b>Face Shield Poly carbonate Visor Clear.</b>  <b>Brand : NEO</b>	Do		
22	<b>Chemical Splash goggles.</b>  <b>Brand : NEO</b>	CHEMICAL SPLASH GOGGLES PROTECT THE EYES FROM CHEMICAL SPLASHES AS WELL AS FROM THE HARMFUL EFFECTS OF AIR BORNE CHEMICAL FUMES AND UV RAYS. CAN ALSO BE USED FOR GRINDING, BUFFING, CHEMICAL SPLASH, WOOD WORKING, ACID AND CHEMICAL HANDLING		<b>EN166 &amp; ANSI Z87.1</b>
23	<b>Welding Goggles</b>  <b>Brand : NEO</b>	IDEAL PROTECTION FOR WELDER'S, HELPERS, OTHER WORKERS AND BYSTANDERS FROM WELDING LIGHT WHEN NEAR TORCH CUTTING OR WELDING. COMES WITH 50 MM DIA ROUND REQUIRED SHED OF GLASS.		<b>IS:1179</b>

24	<b>Welding face shield</b> Brand : <b>NEO</b>	THE FACE SHIELD COMES WITH A SWING UP ACTION OF THE WELDING GLASS WINDOW AS WELL AS THE ENTIRE SHIELD		<b>IS:1179</b> <b>EN:175</b>
25	<b>Eye shield</b> Brand : <b>NEO</b>	EYE SHIELD WITH COMFORTABLE ADJUSTABLE HEADBAND. THEY ARE THE BEST DEVICES FOR EYE PROTECTION DURING GRINDING, CHIPPING WORK AND AGAINST DUST.		
26	<b>Earmuff</b> Brand : <b>NEO</b>	EAR MUFF MADE OF SOFT FOAM-FILLED BROAD CUSHIONS EAR PAD WITH DEEP EAR CUP ATTACHED TO A LIGHT WEIGHT HEADBAND, UNIQUE FLEXIBLE HEADBAND MAINTAINS LOW PRESSURE OVER THE EAR.		<b>EN 352-1</b> <b>IS:6229</b>
27	<b>Earplug (Triple flange)</b> Brand : <b>NEO</b>	REUSABLE EARPLUGS, UNIQUE TRIPLE FLANGED DESIGN ENSURES TRIPLE SEAL AGAINST HARMFUL NOISE. EASY GRIP HANDLE ALLOWS EASY INSERTION & ADJUSTS PERFECTLY TO THE EAR CANAL TO DELIVER UNMATCHED COMFORT AND SUPERIOR ATTENUATION'S.		<b>EN 352-2</b> <b>IS:6229</b>
28	<b>Nose mask ordinary</b>	NOSE MASK IS A DISPOSABLE NUISANCE DUST MASK PROTECTS AGAINST NON-TOXIC HOUSEHOLD AND INDUSTRIAL DUSTS.		
29	<b>Nose mask Superior (ISI /CE marked) Pouch type</b>	MADE OF HIGH QUALITY MICRO FINE ELECTRO STATICALLY CHARGED FILTER FABRIC, HAVING LARGE SURFACE AREA FOR HIGH PROTECTION FROM SOLIDS AND PARTICULATE AEROSOLS FREE OF OIL, AND IS IDEAL FOR DUSTY ENVIRONMENTS SUCH AS GRINDING, SANDING AND SWEEPING AVAILABLE WITH FFP 1 /FFP2/FFP3 FILTER IN POUCH TYPE.		<b>IS:9473 &amp; EN:149</b>
31	<b>Nose mask Superior ( ISI /CE marked) Cup type For Dust/Mist.</b>	DO - AVAILABLE IN CUP TYPE		<b>IS:9473 &amp; EN:149</b>
32	<b>PVC Apron (24" x 36" )</b>	MADE OF HIGH QUALITY PVC, AVAILABLE IN ALL SIZES OR AS PER SPECIFICATIONS.		
33	<b>Chemical Suit PVC</b> Brand : <b>NEO</b>	MADE OF HIGH QUALITY PVC WITH INNER LINING. COMES ALONG WITH HOOD FITTED WITH ACRYLIC VISOR IN TWO PARTS. VERY USEFULL FOR CHEMICAL HANDLING PLANTS.		




34	<b>Reflective Vest Standard</b>  <b>Brand : NEO</b>	REFLECTIVE SAFETY VEST WITH 1" / 2" HIGH QUALITY SILVER REFLECTIVE STRIPS, FRONT OPEN MADE OF 100% POLYESTER FABRIC. COLOUR AVAILABLE – FLUORESCENT ORANGE, LIME GREEN		<b>EN 471</b>
34A		SAFETY SHOWER/EYE WASH		<b>IS:10592</b>
35	<b>Safety shoe "Concorde"</b>	MADE OF HIGH QUALITY LEATHER WITH STEEL TOE. ISI MARKED.		IS:15298 Part-2
36	<b>Safety shoe "Liberty"/ allen Cooper</b>	MADE OF HIGH QUALITY LEATHER WITH STEEL TOE. ISI MARKED.		EN: 345
37	<b>Safety shoe "Tuskar"</b>	MADE OF HIGH QUALITY LEATHER WITH STEEL TOE. ISI MARKED.		
38	<b>Safety shoe ( nail proof) " Safari"</b>	MADE OF HIGH QUALITY LEATHER		
39	<b>Safety gumboot with steel toe ISI marked</b>	MADE OF HIGH QUALITY PVC WITH STEEL TOE. ISI MARKED.		<b>IS:5852</b>

40	Safety gumboot with cotton lining	MADE OF HIGH QUALITY PVC WITH INNER COTTON LINING. FOR LONG DURATION USE.		IS:5852
41	Safety gumboot labour	MADE OF HIGH QUALITY PVC WITH INNER COTTON LINING. COMFORTABLE FOR LONG DURATION USE.		IS:5852
42	Hand gloves (cotton)	MADE OF FINEST QUALITY KNITTED HAND GLOVES WHICH ARE MANUFACTURED FROM SUPERIOR QUALITY KNITTED COTTON. SEAMLESS KNIT WITH ELASTIC CUFF. COMFORTABLE TO WEAR AND IT ALLOWS AIR TO CIRCULATE WHICH KEEPS HANDS DRY. IDEAL FOR LIGHT INDUSTRIAL AND GENERAL WORK. AVAILABLE SMALL, MEDIUM AND.		IS:15298
43	Hand gloves (leather) Brand : WeldStar ISI marked	MADE OF HIGH QUALITY SPLIT /CHROME LEATHER . AVAILABLE IN ALL SIZES.(12"/14"/16"/18") FOR WELDING & OTHER INDUSTRIAL USES <b>AVAILABLE WITH ISI MARK ALSO</b>		IS:2573
44	Leather apron Brand : WeldStar	MADE OF HIGH QUALITY SPLIT LEATHER. AVAILABLE IN ALL SIZES. FOR INDUSTRIAL USE.		
45	Leather sleeve Brand : WeldStar	MADE OF HIGH QUALITY SPLIT LEATHER . FREE SIZE WITH VELCRO TAPE FOR INDUSTRIAL USE.		

46	<b>Leather leg guard</b> Brand : <b>WeldStar</b>	MADE OF HIGH QUALITY SPLIT LEATHER. FREE SIZES. FREE SIZE WITH VELCRO TAPE, FOR INDUSTRIAL USE.		
47	<b>Welding head screen</b>	WELDING HELMET LIFT-UP TYPE ARE FIBRE GLASS MOULDED WELDING HELMET WITH RATCHET HEAD BAND. THERE ARE GLASS WINDOW LIFT-UP TYPE WITH ARRANGEMENT FOR FIXING WHITE GLASS ON THE HELMET FRAME AND BLACK GLASS ON THE LIFT-UP FRAME.		<b>IS: 1179</b> <b>EN:175</b>
48	<b>Safety cone</b>	MADE OF HIGH QUALITY DURABLE PLASTIC IN RED & ORANGE COLOUR REMARKABLY USEFUL TOOL FOR A VARIETY OF DIFFERENT CIRCUMSTANCES. THEY CAN BE USED FOR ANYTHING FROM MARKING A GARDEN AREA, GUIDING A CROWD IN THE RIGHT DIRECTION, REFLECTIVE TAPES OF DIFFERENT VARIETIES ARE AVAILABLE		
49	<b>Dangri cotton</b>	DANGRI & COVERALL MADE OF BEST QUALITY DRILL COTTON CLOTHING'S. THIS PROTECTS THE USER FROM ANY KIND OF INJURY ON THE BODY DURING THE WORKING PERIOD. AVAILABLE IN ANY COLOUR OF CUSTOMER'S CHOICES. WITH VELCRO TAPE ,FOR INDUSTRIAL USE.		
50	<b>Cotton apron</b>	APRON MADE OF BEST QUALITY DRILL COTTON CLOTHING'S. THESE PROTECT THE USER FROM ANY KIND OF LIGHT INJURY ON THE BODY DURING THE WORKING PERIOD. AVAILABLE IN ANY COLOUR OF CUSTOMER'S CHOICES. WITH VELCRO TAPE ,FOR INDUSTRIAL USE.		

<b>51</b>	<b>Welding Back Glass 11din</b>	GLASS MEANT FOR WELDING DARK BLACK COLOUR, 1 1 DIN. WITH VELCRO TAPE ,FOR INDUSTRIAL USE.		<b>EN:169</b>
<b>52</b>	<b>Welding clear Glass</b>	PLAIN GLASS FOR USE WITH THE WELDING GLASS. WITH VELCRO TAPE ,FOR INDUSTRIAL USE.		<b>EN:169</b>
<b>53</b>	<b>Welding black Glass 12 din, 13din 14din</b>	GLASS MEANT FOR WELDING DARK BLACK COLOUR, 12, 13, 14 DIN. WITH VELCRO TAPE ,FOR INDUSTRIAL USE.		<b>EN:169</b>
<b>54</b>	<b>Safety chain</b>	MADE OF HIGH QUALITY DURABLE PLASTIC IN RED & WHITE COLOUR REMARKABLY USEFUL TOOL FOR A VARIETY OF DIFFERENT CIRCUMSTANCES. THEY CAN BE USED FOR ANYTHING FROM MARKING A GARDEN AREA, GUIDING A CROWD IN THE RIGHT DIRECTION,		
<b>55</b>	<b>Safety torch light Clear /red / green</b>	MADE OF PVC, LIGHT IN WEIGHT COMFORTABLE TO WEAR COMPLETE SIDE AND BROW PROTECTION, VENTILATOR FOR LONG DURATION USE. HIGH IMPACT-RESISTANCE. ELASTIC STRAP FOR ADJUSTABLE HEAD SIZE. FITTED WITH A PAIR OF CLEAR GLASS AND 1 1 DIN GLASS.		
<b>56</b>	<b>Radium tape red/green/white/ yellow width 2"</b>	SELF ADHESIVE TAPES FOR USE IN DIFFUSED LIGHT CONDITION		
<b>57</b>	<b>Safety goggles zoom clear / black</b>	LIGHT IN WEIGHT, COMFORTABLE TO WEAR COMPLETE SIDE AND BROW PROTECTION; HIGH IMPACT-RESISTANCE NYLON FRAME /ADJUSTABLE TEMPLES. 100% UV400 PROTECTION AND FOG PROOF;		<b>EN166 &amp; ANSI Z87.1</b>
<b>58</b>	<b>Safety goggles side Wire mesh / black</b>	IDEAL FOR EYE PROTECTION DURING GRINDING, CHIPPING WORK.		<b>IS:1179</b>



<b>59</b>	<b>Welding goggles with 11 din glass</b>	MADE OF PVC ,LIGHT IN WEIGHT COMFORTABLE TO WEAR COMPLETE SIDE AND BROW PROTECTION, VENTILATOR FOR LONG DURATION USE. HIGH IMPACT-RESISTANCE. ELASTIC STRAP FOR ADJUSTABLE HEAD SIZE. FITTED WITH A PAIR OF CLEAR GLASS AND 11 DIN GLASS.		<b>IS:1179</b>
<b>60</b>	<b>Chipping hammer with spring. Brand : WeldStar</b>	HEAVY DUTY FOR ALL TYPE OF CHIPPING (BEFORE AND AFTER) CONSTRUCTION WORK		<b>IS:4915</b>
<b>61</b>	<b>Welding gauge Brand : WeldStar</b>	AVAILABLE IN STANDARD & METRIC, WELDER CAN CARRY A SET FOR PRE INSPECTION. ALL INCREMENTS ARE PERMANENTLY ENGRAVED.		
<b>62</b>	<b>Glider (CAPITAL SAFETY)</b>	SLIDING BEAM ANCHOR TYPE SAFETY GLIDER		<b>ANSI</b>